

**In the Claims:**

**Claim 1 (currently amended):**

1. A tool holder for holding a plurality of tools, comprising:
- a base;
- a plurality of ~~holding portions~~ holding-and-mark-retaining members individually mounted on said base, each for holding and marking a tool with a specification; and
- a plurality of specification marking members, each for marking the specification of a tool;
- wherein each of said holding-and-mark-retaining members comprising:
- a holding portion for holding a tool;
- a mark-retaining portion for retaining a specification marking member; and
- a retaining means for removably retaining said specification marking member in said  
mark-retaining portion ~~a plurality of specification marking members, each of said~~  
~~specification marking members being respectively integral with a holding portion for~~  
~~showing the specification of the tool to be held thereon;~~
- ~~wherein each of said specification marking members comprises a retaining portion and a~~  
~~marking portion, said retaining portion extends directly from said holding portion, and said~~  
~~marking portion is removably retained in said retaining portion;~~
- further wherein said ~~retaining portions~~ holding-and-mark-retaining members are movable relative to each other.

Claim 2 (currently amended):

1 2. The tool holder as defined in claim 1, wherein said retaining means comprises ~~portion is~~  
2 ~~provided in an upper face with~~ a first locating element provided in an upper face of said  
3 mark-retaining portion and ; wherein said marking portion is ~~provided in an under face with~~  
4 a second locating element provided in an under face of said specification marking member  
5 ~~and said marking portion is removably located in said retaining portion in such a manner that~~  
6 ~~said second locating element of said marking portion is separably engaged with said first~~  
7 ~~locating element of said retaining portion.~~

Claim 3 (currently amended):

1 3. The tool holder as defined in claim 2, wherein said first locating element ~~of said retaining~~  
2 ~~portion~~ is in the form of a protrusion, and said second locating element ~~of said marking~~  
3 ~~portion~~ is in the form of a receiving groove.

Claim 4 (currently amended):

1 4. The tool holder as defined in claim 2, wherein said second locating element ~~of said portion~~  
2 is in the form of a protrusion and said first locating element ~~of said retaining portion~~ is in the  
3 form of a receiving groove.

Claim 5 (currently amended):

1 5. The tool holder as defined in claim 1, wherein said retaining means contains a sliding means  
2 ~~portion and said marking portion are respectively formed~~ such that said ~~marking portion~~  
3 specification marking member is slidably received in said ~~retaining~~ mark-retaining portion.

Claim 6 (currently amended):

- 1 6. The tool holder as defined in claim 1, wherein said ~~retaining~~ mark-retaining portion is  
2 constructed in the form of a channel so as to allow said ~~marking portion~~ specification  
3 marking member to be slidably received in said ~~retaining~~ mark-retaining portion.

Claim 7 (currently amended):

- 1 7. The tool holder as defined in claim 1, wherein said ~~retaining portions~~ holding-and-mark-  
2 retaining members are slidably mounted on said ~~tool holder~~ base.